

K7M2 wt | 305188

Description	K7M2 wt	K7M2 wt
	K7M2 wt	Wnt/ β -catenin PI3K/AKT K7M2 wt

Organism

Tissue

Disease

Metastatic site

Synonyms K7M2-WT, K7M2

Breed/Subspecies BALB/c

Age 895

Gender

Cell type

Growth properties

Citation K7M2 wt Cytion 305188

Biosafety level 1

NCBI_TaxID 10090

CellSaurusAccession CVCL_V455

K7M2 wt | 305188

Receptors expressed	C3	Fc	IgG	I Fcgr1
----------------------------	----	----	-----	---------

Tumorigenic

Culture Medium	DMEM w 4.5 / w 4	L-	w 3.7 / NaHCO3 w 1.0	Cytion 820300a
-----------------------	------------------	----	----------------------	----------------

Supplements 10% FBS

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Fluid renewal	2 3
----------------------	-----

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

Thawing and Culturing Cells	1.		
	2.	-150°C	3
	3.	37°C	40-60
	4.	70%	
	5.	8	15
	6.	300 x g	3
	7.	10	T25 T25
	8.		

K7M2 wt | 305188

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR